TDMS No. 96011 - 05
Test Type: CHRONIC

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

CUMENE

CAS Number: 98-82-8

Species/Strain: RATS/F 344 **Pathologist:** PIERCE, J. - RENNE, R.

F 1 R2

C Number: C96011

Route: RESPIRATORY EXPOSURE WHOLE BODY

Lock Date: 01/28/2004

Cage Range: ALL

Date Range: ALL

Reasons For Removal: ALL

Removal Date Range: ALL

Treatment Groups: Include ALL

Date Report Reqsted: 01/12/2006

Time Report Reqsted: 09:48:09 First Dose M/F: 06/04/01 / 06/04/01

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Species/Strain: RATS/F 344

Route: RESPIRATORY EXPOSURE WHOLE BODY

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

CUMENE

CAS Number: 98-82-8

Pathologist: PIERCE, J. - RENNE, R.

Date Report Reqsted: 01/12/2006

Time Report Reqsted: 09:48:09 First Dose M/F: 06/04/01 / 06/04/01

FISCHER 344 RATS MALE	CONTROL	250 PPM	500 PPM	1000 PPM
Disposition Summary				
Animals Initially in Study	50	50	50	50
Early Deaths				
Moribund Sacrifice	20	24	21	24
Natural Death	4	3	2	2
Survivors				
Terminal Sacrifice	26	23	27	24
Animals Examined Microscopically	50	50	50	50
ALIMENTARY SYSTEM				
Esophagus	(50)	(50)	(50)	(50)
Foreign Body	` '	1 [4.0]	,	` '
Intestine Large, Cecum	(49)	(49)	(49)	(49)
Intestine Large, Colon	(49)	(50)	(50)	(50)
Diverticulum	1 [2.0]			
Intestine Large, Rectum	(49)	(50)	(50)	(50)
Intestine Small, Duodenum	(49)	(49)	(49)	(49)
Intestine Small, Ileum	(49)	(47)	(48)	(49)
Intestine Small, Jejunum	(48)	(47)	(48)	(49)
Inflammation, Chronic Active	1 [4.0]			
Thrombosis	1 [4.0]			
Ulcer	1 [4.0]	(FO)	(50)	(50)
Liver Angiectasis	(50)	(50) 1 [2.0]	(50)	(50)
Basophilic Focus	7	1 [2.0] 4	8	6
Clear Cell Focus	12	6	11	11
Degeneration, Cystic	3 [1.0]	1 [3.0]	4 [2.5]	6 [3.0]
Eosinophilic Focus	0 [1.0]	1	3	0 [0.0]
Eosinophilic Focus, Multiple		•	1	
Fatty Change, Diffuse		1 [3.0]		
Hepatodiaphragmatic Nodule	3 [4.0]	8 [4.0]	2 [4.0]	3 [4.0]
Inflammation, Suppurative		1 [4.0]		- ·
Mixed Cell Focus	1		3	1
Necrosis	3 [4.0]	3 [2.7]	3 [3.0]	3 [2.3]
Vacuolization Cytoplasmic	6 [2.7]	2 [3.0]	3 [2.3]	2 [2.0]
Bile Duct, Hyperplasia	7 [2.4]	4 [2.3]	12 [3.2]	7 [2.7]

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Species/Strain: RATS/F 344

Route: RESPIRATORY EXPOSURE WHOLE BODY

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

CUMENE

CAS Number: 98-82-8

Pathologist: PIERCE, J. - RENNE, R.

Date Report Reqsted: 01/12/2006

Time Report Reqsted: 09:48:09 First Dose M/F: 06/04/01 / 06/04/01

FISCHER 344 RATS MALE	CONTROL	250 PPM	500 PPM	1000 PPM	
Hepatocyte, Regeneration	1 [4.0]				
Oval Cell, Hyperplasia	. [5]			1 [4.0]	
Periportal, Inflammation, Chronic			2 [3.5]	. []	
Mesentery	(7)	(13)	(10)	(6)	
Hemorrhage	()	1 [2.0]	,	1 <u>[</u> 3.0]	
Necrosis	6 [2.5]	10 [2.9]	10 [3.0]	3 [3.3]	
Fat, Hemorrhage	1 [3.0]			1 [3.0]	
Fat, Necrosis		1 [3.0]			
Pancreas	(50)	(50)	(50)	(50)	
Hyperplasia		. ,	, ,	1 [3.0]	
Vacuolization Cytoplasmic		1 [2.0]			
Acinus, Atrophy	2 [1.0]	2 [3.0]	2 [3.0]	2 [2.5]	
Acinus, Hyperplasia			1 [2.0]	3 [1.7]	
Stomach, Forestomach	(50)	(50)	(50)	(50)	
Hemorrhage	1 [2.0]				
Inflammation, Suppurative			2 [2.0]		
Necrosis	1 [2.0]				
Ulcer	3 [3.3]	7 [3.9]	1 [4.0]	8 [3.9]	
Epithelium, Hyperplasia	6 [2.7]	11 [3.0]	7 [3.4]	10 [3.4]	
Stomach, Glandular	(50)	(50)	(50)	(50)	
Erosion	2 [2.0]	1 [3.0]	1 [3.0]	2 [2.0]	
Hyperplasia, Lymphoid			1 [3.0]		
Mineralization	1 [4.0]				
Ulcer	3 [3.3]		1 [4.0]	1 [4.0]	
Tongue	(1)	(3)	(1)	(3)	
_ Epithelium, Hyperplasia	1 [3.0]	2 [3.5]	1 [3.0]	3 [2.0]	
Tooth	(0)	(1)	(0)	(0)	
Inflammation		1 [4.0]			
CARDIOVASCULAR SYSTEM					
Blood Vessel	(1)	(1)	(1)	(0)	
Mineralization	1 [4.0]				
Heart	(50)	(50)	(50)	(50)	
Cardiomyopathy	9 [1.8]	7 [2.6]	12 [2.0]	11 [1.7]	
Atrium, Thrombosis	3 [3.7]	6 [3.0]	4 [2.8]	4 [3.5]	
Valve, Cardiomyopathy	1 [3.0]				
Valve, Hemorrhage			1 [2.0]		
Valve, Thrombosis	1 [4.0]				

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Species/Strain: RATS/F 344

Route: RESPIRATORY EXPOSURE WHOLE BODY

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

CUMENE

CAS Number: 98-82-8

Pathologist: PIERCE, J. - RENNE, R.

Date Report Reqsted: 01/12/2006

Time Report Reqsted: 09:48:09 First Dose M/F: 06/04/01 / 06/04/01

FISCHER 344 RATS MALE	CONTROL	250 PPM	500 PPM	1000 PPM	
Ventricle, Hypertrophy				1 [4.0]	
ENDOCRINE SYSTEM					
Adrenal Cortex	(50)	(50)	(50)	(50)	
Hyperplasia	17 [2.2]	16 [2.7]	10 [2.4]	10 [2.7]	
Hypertrophy			1 [3.0]		
Vacuolization Cytoplasmic	8 [2.0]	5 [2.2]	7 [2.3]	4 [2.5]	
Adrenal Medulla	(50)	(50)	(50)	(50)	
Hyperplasia	11 [2.5]	13 [2.5]	18 [2.8]	12 [2.5]	
Bilateral, Hyperplasia				1 [2.0]	
Islets, Pancreatic	(50)	(50)	(50)	(50)	
Hyperplasia	1 [3.0]	1 [3.0]			
Parathyroid Gland	(45)	(49)	(49)	(48)	
Hyperplasia	1 [4.0]	1 [4.0]			
Pituitary Gland	(50)	(50)	(49)	(50)	
Cyst		1 [3.0]	2 [3.5]		
Hemorrhage	1 [4.0]	1 [4.0]	1 [4.0]	3 [4.0]	
Hyperplasia	6 [3.5]	7 [2.7]	13 [3.2]	6 [3.0]	
Pars Intermedia, Hyperplasia	1 [2.0]				
Thyroid Gland	(50)	(50)	(50)	(50)	
Ć-cell, Hyperplasia	7 [1.9]	11 [1.8]	6 [1.8]	8 [2.0]	
Follicular Cell, Cyst		1 [2.0]			
Follicular Cell, Hyperplasia			1 [2.0]		
GENERAL BODY SYSTEM					
Peritoneum	(2)	(2)	(4)	(2)	
GENITAL SYSTEM					
Epididymis	(50)	(50)	(50)	(50)	
Preputial Gland	(50)	(50)	(50)	(50)	
Cyst	1 [4.0]	(00)	2 [2.5]	(55)	
Hyperplasia	ره.٠٦		رد.ن	1 [4.0]	
Inflammation, Suppurative			1 [4.0]	ו נידיטן	
Prostate	(50)	(50)	(50)	(50)	
Hyperplasia	(55)	1 [2.0]	1 [2.0]	2 [1.5]	
Пурогріадіа		رک.ن	۱ [۲.۷]	۲ [۱۰۰۰]	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Species/Strain: RATS/F 344

Route: RESPIRATORY EXPOSURE WHOLE BODY

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

CUMENE

CAS Number: 98-82-8

Pathologist: PIERCE, J. - RENNE, R.

Date Report Reqsted: 01/12/2006

Time Report Reqsted: 09:48:09 First Dose M/F: 06/04/01 / 06/04/01

FISCHER 344 RATS MALE	CONTROL	250 PPM	500 PPM	1000 PPM	
Inflammation, Suppurative	42 [1.6]	32 [1.7]	27 [2.0]	28 [1.7]	
Seminal Vesicle	(50)	(50)	(50)	(50)	
Dilatation	()	1 [4.0]	(/	()	
Hyperplasia		1 [3.0]			
Testes	(50)	(50)	(50)	(50)	
Necrosis			1 [4.0]		
Artery, Inflammation, Chronic Active		1 [3.0]	2 [3.0]		
Bilateral, Interstitial Cell, Hyperplasia				1 [2.0]	
Germinal Epithelium, Atrophy	6 [3.5]	5 [3.8]	3 [2.7]	6 [3.2]	
Interstitial Cell, Hyperplasia	12 [1.9]	18 [2.1]	19 [2.2]	9 [3.0]	
EMATOPOIETIC SYSTEM					
Bone Marrow	(50)	(50)	(50)	(50)	
Lymph Node	(7)	(10)	(8)	(14)	
Deep Cervical, Ectasia	()	1 [4.0]	,	1 [4.0]	
Deep Cervical, Hemorrhage				1 [3.0]	
Deep Cervical, Hyperplasia, Lymphoid			1 [2.0]	2 [3.5]	
Pancreatic, Ectasia			1 [2.0]	1 [3.0]	
Pancreatic, Hyperplasia, Lymphoid			1 [1.0]		
Pancreatic, Inflammation, Granulomatous	4-1	4	1 [2.0]	4-1	
Lymph Node, Bronchial	(7)	(12)	(11)	(8)	
Ectasia	1 [4.0]	1 [4.0]	4.54.03		
Hyperplasia, Lymphoid	1 [2.0]	1 [2.0]	1 [4.0]	(4)	
Lymph Node, Mandibular Ectasia	(1)	(3)	(0)	(1)	
Ectasia Metaplasia, Osseous	1 [4.0] 1 [3.0]	2 [4.0]			
Lymph Node, Mediastinal	(34)	(32)	(34)	(34)	
Angiectasis	(34)	(32)	(3 4)	1 [4.0]	
Hemorrhage		1 [2.0]		ا [۲.۰]	
Hyperplasia, Lymphoid	1 [4.0]	ر د. ۱	2 [3.5]		
Inflammation, Suppurative	1 [4.0]		_ [0.0]		
Lymph Node, Mesenteric	(50)	(50)	(50)	(50)	
Hemorrhage	(/	2 [3.5]	\ <i>/</i>	1 [2.0]	
Spleen	(50)	(50)	(50)	(50)	
Accessory Spleen	, ,			1	
Fibrosis	2 [3.5]	2 [3.0]	7 [3.6]	2 [3.5]	
Hematopoietic Cell Proliferation				1 [3.0]	
Hemorrhage	4 [4.0]	4 [4.0]	2 [4.0]	4 [4.0]	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Species/Strain: RATS/F 344

Route: RESPIRATORY EXPOSURE WHOLE BODY

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

CUMENE

CAS Number: 98-82-8

Pathologist: PIERCE, J. - RENNE, R.

Date Report Regsted: 01/12/2006

Time Report Reqsted: 09:48:09 First Dose M/F: 06/04/01 / 06/04/01

FISCHER 344 RATS MALE	CONTROL	250 PPM	500 PPM	1000 PPM	
Necrosis Thymus	1 [3.0] (49)	3 [3.7] (49)	1 [4.0] (50)	(50)	
INTEGUMENTARY SYSTEM					
Mammary Gland Galactocele Epithelium, Hyperplasia Skin Cyst Epithelial Inclusion Hyperkeratosis Inflammation, Chronic Ulcer	(50) 2 [4.0] 1 [4.0] (50) 1 [4.0] 1 [3.0]	(50) (50) 1 [4.0]	(50) 2 [4.0] 1 [4.0] (50) 1 [4.0]	(50) 1 [2.0] 1 [2.0] (50) 2 [4.0] 1 [4.0] 1 [4.0]	
MUSCULOSKELETAL SYSTEM					
Bone Hyperostosis Skeletal Muscle	(50) (1)	(50) (2)	(50) 1 [3.0] (2)	(50) (1)	
NERVOUS SYSTEM					
Brain Compression Hemorrhage Necrosis Thrombosis	(50) 7 [3.6] 5 [3.6]	(50) 16 [3.1] 7 [2.3] 1 [2.0] 1 [2.0]	(50) 6 [2.7] 3 [2.0]	(50) 6 [3.2] 1 [2.0]	
RESPIRATORY SYSTEM					
Larynx Foreign Body Inflammation, Suppurative Inflammation, Chronic Epiglottis, Hyperplasia	(50) 6 [4.0] 4 [1.8] 1 [3.0] 1 [1.0]	(50) 3 [3.0] 7 [1.6] 1 [2.0]	(50) 1 [1.0] 1 [3.0]	(50) 3 [4.0] 3 [1.3]	
Epiglottis, Metaplasia, Squamous Respiratory Epithelium, Hyperplasia Lung	1 [1.0] 3 [1.7] (50)	2 [1.5] (50)	1 [1.0] (50)	2 [2.0] 1 [1.0] (50)	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Species/Strain: RATS/F 344

Route: RESPIRATORY EXPOSURE WHOLE BODY

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

CUMENE

CAS Number: 98-82-8

Pathologist: PIERCE, J. - RENNE, R.

Date Report Reqsted: 01/12/2006

Time Report Reqsted: 09:48:09 First Dose M/F: 06/04/01 / 06/04/01

FISCHER 344 RATS MALE	CONTROL	250 PPM	500 PPM	1000 PPM	
Congestion	1 [3.0]				
Hemorrhage	3 [2.0]	7 [2.6]	3 [2.3]		
Inflammation			1 [2.0]		
Inflammation, Suppurative	1 [1.0]	1 [4.0]			
Inflammation, Granulomatous		1 [1.0]			
Inflammation, Chronic	3 [2.0]	3 [1.7]	6 [1.3]	5 [2.4]	
Thrombosis		1 [2.0]		. ,	
Alveolar Epithelium, Hyperplasia	13 [2.0]	11 [1.5]	10 [2.1]	10 [2.3]	
Alveolar Epithelium, Metaplasia,	- 1 - 1	1	- 1	1 [4.0]	
Squamous				. []	
Alveolar Epithelium, Metaplasia, Mucous				1 [3.0]	
Alveolus, Emphysema				1 [2.0]	
Alveolus, Foreign Body		1 [2.0]		. [=.0]	
Alveolus, Infiltration Cellular, Histiocyte	9 [1.9]	7 [1.4]	4 [1.8]	14 [1.8]	
Alveolus, Proteinosis	0 [1.0]	, []	1[1.0]	1 [3.0]	
Artery, Mineralization	2 [2.5]			1 [0.0]	
Artery, Thrombosis	1 [3.0]				
Bronchiole, Hyperplasia	1 [0.0]	1 [2.0]			
Bronchiole, Inflammation, Chronic		1 [2.0]	1 [2.0]		
Interstitium, Fibrosis		2 [2.0]	1 [2.0]	1 [3.0]	
Nose	(50)	(50)	(49)	(50)	
Foreign Body	(50)	(50)	(49)	4	
Hyperplasia, Basal Cell	5	3	3	1 [1.0]	
Inflammation, Suppurative	7 [4 4]	0 [0 4]	0 [4 0]		
Inflammation, Suppurative	7 [1.4]	8 [2.4]	8 [1.9]	6 [2.2]	
Inflammation, Chronic Epithelium, Nasolacrimal Duct,	5 [1.6]	1 [1.0]	4 [2 0]		
		2 [2.0]	1 [2.0]		
Metaplasia, Squamous	4 [4 0]		4 [0 0]	1 [2 0]	
Glands, Olfactory Epithelium,	1 [1.0]		1 [2.0]	1 [2.0]	
Hyperplasia	4 [4 0]	0.00	0.01.0	2 (2 0)	
Glands, Respiratory Epithelium,	1 [4.0]	3 [3.0]	2 [3.0]	2 [3.0]	
Dilatation			0.00	4 [0 0]	
Glands, Respiratory Epithelium,			2 [2.0]	4 [2.0]	
Hyperplasia			4 [0 0]		
Goblet Cell, Olfactory Epithelium,			1 [2.0]		
Hyperplasia					
Goblet Cell, Hyperplasia	3 [1.7]	11 [2.3]	7 [2.3]	5 [2.0]	
Nasolacrimal Duct, Inflammation,	2 [2.0]	2 [2.0]	3 [2.3]		
Suppurative					
Olfactory Epithelium, Degeneration			1 [1.0]		
Olfactory Epithelium, Degeneration,	3 [1.7]	2 [2.0]	1 [2.0]		

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Species/Strain: RATS/F 344

Route: RESPIRATORY EXPOSURE WHOLE BODY

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

CUMENE

CAS Number: 98-82-8

Pathologist: PIERCE, J. - RENNE, R.

Date Report Reqsted: 01/12/2006

Time Report Reqsted: 09:48:09 First Dose M/F: 06/04/01 / 06/04/01

FISCHER 344 RATS MALE	CONTROL	250 PPM	500 PPM	1000 PPM	
Hyaline					
Olfactory Epithelium, Hyperplasia, Basal Cell		19 [1.1]	27 [1.0]	26 [1.0]	
Olfactory Epithelium, Inflammation, Chronic				1 [2.0]	
Olfactory Epithelium, Metaplasia	7 [1.7]	4 [1.3]	5 [2.4]	5 [2.2]	
Olfactory Epithelium, Necrosis Olfactory Epithelium, Ulcer		1 [1.0]	2 [4.0]	1 [1.0]	
Respiratory Epithelium, Degeneration, Hyaline	1 [1.0]	1 [1.0]			
Respiratory Epithelium, Hyperplasia		15 [2.0]	16 [2.9]	23 [2.7]	
Respiratory Epithelium, Inflammation, Chronic			1 [2.0]	2 [1.5]	
Respiratory Epithelium, Necrosis Squamous Epithelium, Hyperplasia			1 [1.0]	1 [1.0]	
Squamous Epithelium, Inflammation			1 [1.0]		
Vomeronasal Organ, Inflammation, Suppurative	1 [2.0]				
Pleura Inflammation, Chronic	(5)	(3)	(5)	(6)	
Mesothelium, Hyperplasia	4 [1.3] 1 [4.0]	3 [1.3]	4 [1.0]	6 [1.5]	
Trachea Epithelium, Hyperplasia	(50)	(50)	(50)	(50) 1 [2.0]	
Glands, Cyst		1 [3.0]		1 [2.0]	
PECIAL SENSES SYSTEM					
Eye	(50)	(50)	(49)	(50)	
Degeneration Inflammation, Chronic Active		1 [4.0] 1 [4.0]			
Bilateral, Lens, Cataract	1 [2.0]	1 [4.0]		1 [1.0]	
Bilateral, Retina, Atrophy Ciliary Body, Iris, Inflammation, Suppurative		1 [2.0]	1 [2.0] 1 [3.0]		
Cornea, Inflammation, Suppurative	2 [1.5]				
Cornea, Inflammation, Chronic Lens, Cataract	5 [2.4]	1 [2.0]	2 [2.0]	1 [1.0] 4 [2.5]	
Retina, Atrophy	4 [2.5]			2 [3.0]	
Harderian Gland	(50)	(50)	(50)	(50)	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Species/Strain: RATS/F 344

Route: RESPIRATORY EXPOSURE WHOLE BODY

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

CUMENE

CAS Number: 98-82-8

Pathologist: PIERCE, J. - RENNE, R.

Date Report Reqsted: 01/12/2006

Time Report Reqsted: 09:48:09 First Dose M/F: 06/04/01 / 06/04/01

Lab: BNW

FISCHER 344 RATS MALE	CONTROL	250 PPM	500 PPM	1000 PPM	
Inflammation, Suppurative Inflammation, Chronic	1 [1.0]	1 [3.0] 1 [3.0]			
Zymbal's Gland	(1)	(0)	(0)	(2)	
JRINARY SYSTEM					
Kidney	(50)	(50)	(50)	(50)	
Atrophy				1 [4.0]	
Infarct		1 [4.0]	2 [3.0]	1 [2.0]	
Infarct, Multiple	47 [0 0]	1 [4.0]	47 [0 0]	E0 [0 7]	
Nephropathy	47 [2.3]	47 [2.6]	47 [2.9]	50 [2.7]	
Bilateral, Renal Tubule, Cyst Bilateral, Infarct		1 [2 0]	1		
Capsule, Dilatation		1 [3.0]	1 [3.0]		
Glomerulus, Inflammation, Suppurative		1 [4.0]	1 [3.0]		
Papilla, Mineralization	5 [1.0]	35 [1.7]	44 [2.1]	41 [2.1]	
Pelvis, Transitional Epithelium,	3 [1.7]	5 [1.8]	14 [2.4]	15 [2.0]	
Hyperplasia	3[1.7]	3 [1.0]	17 [2.7]	10 [2:0]	
Pelvis, Dilatation			1 [4.0]	1 [4.0]	
Renal Tubule, Accumulation, Hyaline			1 [4.0]	1 [4.0]	
Droplet			1 [4.0]	1 [4.0]	
Renal Tubule, Cyst		1	3	2	
Renal Tubule, Hyperplasia		3 [3.3]	8 [2.6]	6 [2.2]	
Renal Tubule, Hypertrophy		- []	- 1 -1	1 [3.0]	
Renal Tubule, Mineralization	1 [4.0]				
Ureter	(0)	(1)	(0)	(1)	
Urethra	(0)	(0)	(1)	(1)	
Transitional Epithelium, Hyperplasia			1 [3.0]		
Urinary Bladder	(50)	(50)	(49)	(50)	
Calculus Gross Observation			1		
Hemorrhage		1 [2.0]			
Inflammation, Chronic			1 [2.0]		
Transitional Epithelium, Hyperplasia	1 [3.0]		4 [2.0]	2 [1.5]	

*** END OF MALE ***

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Species/Strain: RATS/F 344

Route: RESPIRATORY EXPOSURE WHOLE BODY

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

CUMENE

CAS Number: 98-82-8

Pathologist: PIERCE, J. - RENNE, R.

Date Report Reqsted: 01/12/2006

Time Report Reqsted: 09:48:09 First Dose M/F: 06/04/01 / 06/04/01

FISCHER 344 RATS FEMALE	CONTROL	250 PPM	500 PPM	1000 PPM
Disposition Summary				
Animals Initially in Study	50	50	50	50
Early Deaths				
Moribund Sacrifice	23	18	17	15
Natural Death	6	5	2	3
Survivors				
Terminal Sacrifice	21	27	31	32
Animals Examined Microscopically	50	50	50	50
ALIMENTARY SYSTEM				
Intestine Large, Cecum	(46)	(45)	(50)	(49)
Necrosis	, ,	, ,	` '	1 [3.0]
Intestine Large, Colon	(48)	(46)	(50)	(50)
Artery, Inflammation, Chronic				1 [3.0]
Intestine Large, Rectum	(48)	(46)	(50)	(50)
Liver	(50)	(50)	(50)	(50)
Angiectasis	1 [3.0]		2 [2.5]	
Basophilic Focus	27	31	36	32
Clear Cell Focus	15	9	6	5
Eosinophilic Focus				1
Hepatodiaphragmatic Nodule	6 [4.0]	6 [4.0]	4 [4.0]	6 [4.0]
Inflammation, Granulomatous	1 [2.0]		•	4
Mixed Cell Focus		4 [0.0]	2	1
Necrosis	44 [0 4]	1 [2.0]	1 [3.0]	3 [3.7]
Vacuolization Cytoplasmic	11 [3.1]	4 [3.0]	4 [2.8]	2 [3.0]
Bile Duct, Hyperplasia Centrilobular, Congestion		1 [4 0]	1 [3.0]	
Periportal, Vacuolization Cytoplasmic	1 [2.0]	1 [4.0]		
Mesentery	1 [2.0] (18)	(18)	(17)	(9)
Necrosis	18 [3.1]	16 [3.0]	17 [2.9]	8 [3.0]
Oral Mucosa	(0)	(0)	(1)	(1)
Pancreas	(50)	(49)	(50)	(50)
Fibrosis	(00)	1 [4.0]	(00)	(00)
Hemorrhage		1 [4.0]		
Thrombosis		• •		1 [4.0]
Artery, Inflammation, Chronic				1 [4.0]

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Species/Strain: RATS/F 344

Route: RESPIRATORY EXPOSURE WHOLE BODY

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

CUMENE

CAS Number: 98-82-8

Pathologist: PIERCE, J. - RENNE, R.

Date Report Reqsted: 01/12/2006

Time Report Reqsted: 09:48:09 First Dose M/F: 06/04/01 / 06/04/01

FISCHER 344 RATS FEMALE	CONTROL	250 PPM	500 PPM	1000 PPM	
Stomach, Forestomach	(50)	(50)	(50)	(50)	
Erosion			1 [3.0]		
Inflammation, Suppurative		4 [0.0]	4 10 01	1 [4.0]	
Inflammation, Chronic Ulcer	5 [3.0]	1 [2.0]	1 [2.0] 3 [2.3]	1 [4 0]	
Epithelium, Cyst	5 [3.0]	4 [4.0]	3 [2.3] 1 [4.0]	1 [4.0]	
Epithelium, Erosion		1 [3.0]	1 [4.0]		
Epithelium, Hyperplasia	11 [1.7]	13 [2.2]	12 [1.9]	8 [1.4]	
Submucosa, Fibrosis			1 [3.0]	- 1	
Stomach, Glandular	(50)	(49)	(50)	(50)	
Erosion	1 [2.0]				
Ulcer			1 [4.0]	4 [0 0]	
Epithelium, Hyperplasia Tongue	(1)	(2)	(2)	1 [3.0] (3)	
Epithelium, Hyperplasia	1 [3.0]	2 [3.0]	2 [2.5]	(3) 3 [3.0]	
Tooth	(0)	(2)	(0)	(0)	
Peridontal Tissue, Inflammation	(3)	2 [3.5]	(0)	(0)	
OADDIOVAGOUL AD OVOTEM					
CARDIOVASCULAR SYSTEM					
Heart	(50)	(50)	(50)	(50)	
Cardiomyopathy	1 [2.0]	2 [1.5]	2 [2.0]		
Inflammation, Chronic				1 [2.0]	
Atrium, Thrombosis		2 [3.0]	2 [4.0]	1 [4.0]	
ENDOCRINE SYSTEM					
Adrenal Cortex	(50)	(49)	(50)	(50)	
Hemorrhage	1 [3.0]				
Hyperplasia	9 [2.8]	9 [2.8]	13 [2.8]	12 [2.0]	
Necrosis	2 [2.5]	40.00.01	40 [0 4]	1 [3.0]	
Vacuolization Cytoplasmic Adrenal Medulla	11 [2.1]	18 [2.6]	16 [2.4]	7 [2.7]	
Islets, Pancreatic	(50) (50)	(49) (49)	(50) (50)	(50) (50)	
Parathyroid Gland	(49)	(45)	(48)	(47)	
Hyperplasia	(10)	1 [3.0]	(10)	()	
Pituitary Gland	(50)	(50)	(50)	(49)	
Cyst	7 [3.3]	2 [3.5]	2 [2.0]	2 [4.0]	
Hemorrhage	2 [4.0]	2 [4.0]	2 [3.5]		

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Species/Strain: RATS/F 344

Route: RESPIRATORY EXPOSURE WHOLE BODY

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

CUMENE

CAS Number: 98-82-8

Pathologist: PIERCE, J. - RENNE, R.

Date Report Reqsted: 01/12/2006

Time Report Reqsted: 09:48:09 First Dose M/F: 06/04/01 / 06/04/01

FISCHER 344 RATS FEMALE	CONTROL	250 PPM	500 PPM	1000 PPM	
Hyperplasia	10 [3.0]	13 [3.2]	6 [2.7]	16 [2.8]	
Thyroid Gland Ultimobranchial Cyst	(50) 1 [1.0]	(49)	(50)	(50)	
C-cell, Hyperplasia	13 [1.5]	13 [1.7]	15 [1.8]	15 [2.2]	
Follicular Cell, Hyperplasia			1 [4.0]		
ENERAL BODY SYSTEM					
Peritoneum	(0)	(0)	(1)	(0)	
ENITAL SYSTEM					
Clitoral Gland Cyst	(50)	(49) 2 [3.0]	(50) 2 [3.5]	(50) 1 [1.0]	
Hyperplasia	2 [3.5]	5 [3.6]	7 [3.3]	5 [3.8]	
Inflammation, Chronic		1 [4.0]	1 [4.0]	3 [3.7]	
Ovary Cyst	(50) 3 [3.3]	(49) 7 [3.9]	(50) 7 [3.3]	(50) 6 [2.8]	
Cyst, Multiple	၁ [၁.၁]	7 [3.9]	7 [3.3] 1 [4.0]	0 [2.0]	
Uterus	(50)	(49)	(50)	(50)	
Hemorrhage	1 [4.0]	1 [4.0]	4 [3.8]	1 [4.0]	
Pigmentation Endometrium, Hyperplasia	4 [1.5]	7 [2.4]	1 [3.0] 2 [2.0]	5 [2.2]	
Vagina	(2)	7 [2.4] (0)	2 [2.0] (0)	(0)	
Epithelium, Hyperplasia, Adenomatous	1 [4.0]	(0)	(0)	(0)	
EMATOPOIETIC SYSTEM					
Lymph Node	(3)	(3)	(5)	(2)	
Pancreatic, Infiltration Cellular, Histiocyte Pancreatic, Pigmentation			1 [4.0]		
Lymph Node, Bronchial	(7)	(9)	1 [3.0] (8)	(5)	
Ectasia	2 [3.0]	(0)	(0)	(0)	
Hemorrhage				1 [4.0]	
Hyperplasia, Lymphoid	4 [0 0]	1 [3.0]		1 [3.0]	
Inflammation	1 [2.0] (4)	(1)	(1)	(4)	
Lymph Node, Mandibular	(4)	(1)			

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Species/Strain: RATS/F 344

Route: RESPIRATORY EXPOSURE WHOLE BODY

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

CUMENE

CAS Number: 98-82-8

Pathologist: PIERCE, J. - RENNE, R.

Date Report Reqsted: 01/12/2006

Time Report Reqsted: 09:48:09 First Dose M/F: 06/04/01 / 06/04/01

FISCHER 344 RATS FEMALE	CONTROL	250 PPM	500 PPM	1000 PPM	
Hyperplasia, Lymphoid	(20)	(00)	(00)	1 [4.0]	
Lymph Node, Mediastinal Angiectasis	(30)	(28)	(26) 1 [4.0]	(31)	
Hemorrhage			1 [3.0]	1 [4.0]	
Hyperplasia, Histiocytic			1 [4.0]		
Hyperplasia, Lymphoid			1 [4.0]	2 [3.5]	
Inflammation, Suppurative Lymph Node, Mesenteric	(40)	(40)	(40)	1 [2.0] (50)	
Ectasia	(48)	(49)	(49) 1 [4.0]	(50)	
Hemorrhage	2 [3.0]		1 [4.0]		
Hyperplasia, Lymphoid	_[]	1 [2.0]			
Infiltration Cellular, Histiocyte		1 [4.0]			
Necrosis	(50)	(50)	(50)	1 [3.0]	
Spleen Atrophy	(50)	(50)	(50)	(50) 1 [4.0]	
Fibrosis			3 [3.3]	1 [4.0]	
Hematopoietic Cell Proliferation		1 [4.0]	2 [4.0]	2 [4.0]	
Necrosis				2 [4.0]	
Capsule, Fibrosis Thymus	1 [2.0]	(46)	<i>(</i> E0)	(50)	
Hyperplasia, Tubular	(48)	(46)	(50) 1 [4.0]	(50)	
NTEGUMENTARY SYSTEM					
Mammary Gland	(50)	(50)	(50)	(50)	
Galactocele	3 [3.0]	()	()	2 [2.5]	
Hyperplasia	1 [2.0]				
Inflammation, Suppurative		1 [4.0]	4 [4 0]	4.[4.0]	
Epithelium, Hyperplasia Skin	(50)	(50)	1 [4.0] (50)	1 [4.0] (50)	
Cyst Epithelial Inclusion	(00)	1 [4.0]	(00)	(00)	
Hyperkeratosis	1 [2.0]	1 [3.0]		1 [2.0]	
Inflammation, Chronic		0.54.03		1 [3.0]	
Ulcer Sebaceous Gland, Hemorrhage		3 [4.0]		2 [3.5]	
Subcutaneous Tissue, Fibrosis		1 [3.0]		1 [2.0]	
Subcutaneous Tissue, Inflammation,		1 [4.0]		, [2.0]	
Suppurative		r -1			

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Species/Strain: RATS/F 344

Route: RESPIRATORY EXPOSURE WHOLE BODY

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

CUMENE

CAS Number: 98-82-8

Pathologist: PIERCE, J. - RENNE, R.

Date Report Reqsted: 01/12/2006

Time Report Reqsted: 09:48:09 First Dose M/F: 06/04/01 / 06/04/01

FISCHER 344 RATS FEMALE	CONTROL	250 PPM	500 PPM	1000 PPM	
MUSCULOSKELETAL SYSTEM					
Bone	(50)	(50)	(50)	(50)	
Hyperostosis Maxilla, Fracture		1 [4.0]	1 [4.0]		
Maxilla, Inflammation, Chronic Active				1 [3.0]	
Skeletal Muscle	(1)	(0)	(1)	(1)	
NERVOUS SYSTEM					
Brain	(50)	(49)	(50)	(50)	
Compression	12 [3.7]	9 [3.6]	4 [4.0]	5 [3.6]	
Demyelination Gliosis				1 [3.0] 1 [3.0]	
Hemorrhage	1 [4.0]	3 [3.3]	2 [3.5]	3 [3.0]	
Inflammation, Chronic Active	4 [4 0]			1 [3.0]	
Necrosis Thrombosis	1 [4.0]	1 [2.0]	1 [4.0]		
Medulla, Meninges, Inflammation,	1 [2.0]	. [=.0]	. [•]		
Suppurative				4 [2 0]	
Medulla, Neuron, Necrosis Neuron, Degeneration				1 [3.0] 1 [3.0]	
Spinal Cord	(0)	(1)	(1)	(1)	
Gliosis	. ,	,		1 [3.0]	
Inflammation, Chronic Active				1 [3.0]	
RESPIRATORY SYSTEM					
Larynx	(50)	(49)	(50)	(50)	
Foreign Body	2 [4.0]	1 [4.0]	2 [4.0]		
Inflammation, Suppurative Inflammation, Chronic	3 [2.0]	3 [2.0]	4 [1.5]	1 [1.0]	
Respiratory Epithelium, Hyperplasia	2 [1.5]	1 [1.0]	2 [1.5]	2 [1.5] 1 [1.0]	
Lung	(50)	(50)	(50)	(50)	
Cyst, Squamous				1	
Hemorrhage	2 [2.0]	1 [1.0]	2 [2.0]		
Inflammation, Suppurative Inflammation, Chronic	1 [1.0] 11 [1.6]	10 [1.5]	8 [1.8]	16 [1.9]	
Thrombosis	11 [1.0]	10 [1.0]	1 [4.0]	10 [1.0]	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Species/Strain: RATS/F 344

Route: RESPIRATORY EXPOSURE WHOLE BODY

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

CUMENE

CAS Number: 98-82-8

Pathologist: PIERCE, J. - RENNE, R.

Date Report Reqsted: 01/12/2006

Time Report Reqsted: 09:48:09 First Dose M/F: 06/04/01 / 06/04/01

FISCHER 344 RATS FEMALE	CONTROL	250 PPM	500 PPM	1000 PPM
lveolar Epithelium, Hyperplasia	3 [2.7]	1 [1.0]	5 [2.4]	7 [2.1]
lveolar Epithelium, Metaplasia,				1 [4.0]
Squamous				
lveolus, Infiltration Cellular, Histiocyte	16 [1.1]	6 [1.3]	11 [1.6]	14 [1.6]
Ilveolus, Proteinosis				2 [2.5]
Bronchiole, Hyperplasia		3 [2.3]		1 [2.0]
Bronchiole, Inflammation, Chronic	1 [4.0]	1 [3.0]		3 [2.0]
nterstitium, Fibrosis	1 [2.0]			
se	(50)	(48)	(50)	(50)
oreign Body	, ,	`4 ´	`2 ´	`3 ´
lyperplasia, Basal Cell				1 [1.0]
nflammation, Suppurative	1 [3.0]	3 [3.3]	1 [2.0]	2 [1.5]
nflammation, Chronic	1 [1.0]	3 [2.0]	4 [1.3]	1 [2.0]
nflammation, Chronic Active			1 [4.0]	
Blands, Respiratory Epithelium,	1 [3.0]			
Dilatation				
Soblet Cell, Hyperplasia	4 [1.0]	6 [2.3]	1 [4.0]	5 [2.0]
lasolacrimal Duct, Inflammation,	4 [2.3]	3 [2.0]	2 [2.5]	1 [3.0]
Suppurative				
lasolacrimal Duct, Inflammation, Chronic	1 [3.0]			
Olfactory Epithelium, Degeneration,	2 [1.5]	1 [2.0]		
Hyaline				
Olfactory Epithelium, Hyperplasia			1 [1.0]	
Olfactory Epithelium, Hyperplasia, Basal		14 [1.0]	25 [1.0]	31 [1.1]
Cell				
Olfactory Epithelium, Inflammation,		1 [3.0]		
Granulomatous				
Olfactory Epithelium, Metaplasia		1 [3.0]		2 [2.0]
Olfactory Epithelium, Necrosis			1 [1.0]	
Respiratory Epithelium, Degeneration,	1 [1.0]		3 [1.0]	
Hyaline				
Respiratory Epithelium, Hyperplasia			4 [3.0]	6 [2.3]
Respiratory Epithelium, Metaplasia,		1 [1.0]		
Squamous				
urbinate, Necrosis	, .		1 [4.0]	4
eura	(15)	(16)	(16)	(20)
nflammation, Chronic	15 [1.4]	15 [1.2]	14 [1.4]	20 [1.8]
lesothelium, Hyperplasia	(==)	1 [1.0]	(==)	()
achea	(50)	(49)	(50)	(50)
Blands, Cyst			1 [2.0]	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Species/Strain: RATS/F 344

Route: RESPIRATORY EXPOSURE WHOLE BODY

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

CUMENE

CAS Number: 98-82-8

Pathologist: PIERCE, J. - RENNE, R.

Date Report Regsted: 01/12/2006

Time Report Reqsted: 09:48:09 First Dose M/F: 06/04/01 / 06/04/01

Lab: BNW

FISCHER 344 RATS FEMALE	CONTROL	250 PPM	500 PPM	1000 PPM	
PECIAL SENSES SYSTEM					
Eye	(50)	(49)	(50)	(50)	
Bilateral, Lens, Cataract Bilateral, Retina, Atrophy	1 [4.0] 1 [3.0]	1 [2.0]	1 [3.0]		
Cornea, Epithelium, Hyperplasia	1 [3.0]	1 [2.0]	1 [3.0]	1 [2.0]	
Cornea, Inflammation				1 [1.0]	
Cornea, Inflammation, Suppurative Lens, Cataract	1 [4.0]	2 [2 0]	E [2 0]	2 [2 0]	
Retina, Atrophy	5 [2.2] 3 [2.0]	2 [3.0] 5 [2.2]	5 [3.0] 8 [2.1]	3 [2.0] 2 [2.0]	
Harderian Gland	(50)	(49)	(50)	(50)	
Inflammation, Chronic	1 [1.0]	(0)	1 [2.0]	1 [1.0]	
Zymbal's Gland	(1)	(0)	(1)	(1)	
RINARY SYSTEM					
Kidney	(50)	(50)	(50)	(50)	
Infarct, Multiple			1 [2.0]		
Nephropathy Artery, Inflammation, Chronic Active	38 [1.4]	37 [1.5]	41 [1.9]	44 [1.9] 1 [2.0]	
Papilla, Mineralization	6 [1.0]	3 [1.3]	4 [1.0]	6 [1.0]	
Pelvis, Transitional Epithelium,	1 [1.0]	1 [2.0]	6 [1.3]	1 [1.0]	
Hyperplasia	22 [4 2]	27 [4 4]	27 [4 4]	22 [4 2]	
Pelvis, Transitional Epithelium, Mineralization	23 [1.3]	27 [1.1]	27 [1.1]	22 [1.3]	
Pelvis, Dilatation	1 [2.0]				
Renal Tubule, Accumulation, Hyaline	1 [4.0]		1 [4.0]		
Droplet Renal Tubule, Cyst	1		1	1	
Renal Tubule, Cyst	1 [4.0]		ı	I	
Urinary Bladder	(50)	(49)	(50)	(50)	
Transitional Epithelium, Hyperplasia	1 [2.0]	2 [2.0]	2 [2.0]	1 [2.0]	

*** END OF REPORT ***

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)